

## References

- [1] "Laser cooling of a nanomechanical oscillator into its quantum ground state" J. Chan et al., Nature 478, 89 (2011).
- [2] "Persistent Currents in Normal Metal Rings" A. C. Bleszynski-Jayich et al., Science 326, 272 (2009).
- [3] Demonstration of an ultracold micro-optomechanical oscillator in a cryogenic cavity," Simon Groblacher, Jared B. Hertzberg, Michael R. Vanner, Garret D. Cole, Sylvain Gigan, K.C. Schwab, Markus Aspelmeyer, Nature Physics 5, 485 (2009).
- [4] "Strong Coupling Between Single-Electron Tunneling and Nanomechanical Motion," G. A. Steele, A. K. Hüttel, B. Witkamp, M. Poot, H. B. Meerwaldt, L. P. Kouwenhoven, H. S. J. van der Zant, Science 325, 1103 (2009).
- [5] J. Jang et al., "Observation of Half-Height Magnetization Steps in  $\text{Sr}_2\text{RuO}_4$ ," Science 331, 186 (2011).
- [6] P. Banerjee et al., "Magnetization reversal in an individual 25 nm iron-filled carbon nanotube," Appl. Phys. Lett. 96, 252505 (2010).
- [7] M. Giorgio et al., "Magnetic damping losses of tipped cantilevers," Nanotechnology 17, 871 (2006).
- [8] "Nanomechanical measurements of a superconducting qubit," M.D. LaHaye, J. Suh, P.M. Echternach, K.C. Schwab, M.L. Roukes, Nature 459, 960 (2009.)
- [9] "Self-cooling of a micro-mirror by radiation pressure," S. Gigan, H.R. Boehm, M. Paterostro, F. Blaser, G. Langer, J. Hertzberg, K. Schwab, D. Baeuerle, M. Aspelmeyer, A. Zeilinger, Nature 444, 67-70 (2006).
- [10] [hrefhttp://dx.doi.org/10.1038/nature05027](http://dx.doi.org/10.1038/nature05027)"Quantum Measurement Backaction and Cooling Observed with a Nanomechanical Resonator," A. Naik, O. Buu, M.D. LaHaye, M.P. Blencowe, A.D. Armour, A. A. Clerk, K.C. Schwab, Nature 443, 193 (2006).
- [11] "Approaching the Quantum Limit of a Nanomechanical Resonator," M. LaHaye, O. Buu, B. Camarota, K. Schwab, Science 304, 74 (2004).
- [12] Masmanidis, S.C. et al., Multifunctional nanomechanical systems via tunably coupled piezoelectric actuation, Science 317, 780-783 (2007).
- [13] Li, M., Tang, H.X., Roukes, M.L., Ultra-sensitive NEMS-based cantilevers for sensing, scanned probe and very high-frequency applications, Nature Nanotechnology 2, 114-120 (2007).
- [14] Cleland, A.N. Roukes, M.L., A nanometre-scale mechanical electrometer, Nature 392, 160-162 (1998).
- [15] "Nanometre-scale displacement sensing using a single-electron transistor." R.G. Knobel and A.N. Cleland. Nature 424, 291 (2003).
- [16] A. Schliesser\*, O. Arcizet\*, R. Rivière\*, G. Anetsberger, and T.J. Kippenberg Resolved-sideband cooling and position measurement of a micromechanical oscillator close to the Heisenberg uncertainty limit, Nature Physics 5, 509 (2009).

- [17] G. Anetsberger, R. Rivière, A. Schliesser, O. Arcizet and T.J. Kippenberg "Ultralow-Dissipation Optomechanical Resonators on a Chip" *Nature Photonics* 2, 627 (2008).
- [18] A. Schliesser, R. Rivière, G. Anetsberger, O. Arcizet, and T.J. Kippenberg "Resolved Sideband Cooling of a Micromechanical Oscillator" *Nature Physics* 4, 415 (2008).
- [19] Single spin detection by magnetic resonance force microscopy, D. Rugar, R. Budakian, H. J. Mamin, B. W. Chui, *Nature* 430, 329-332 (15 July 2004).
- [20] Measuring nanomechanical motion with a resonant microwave interferometer, C. A. Regal, J. D. Teufel, and K. W. Lehnert, *Nature Physics*, 4, 555 (2008).
- [21] "Electromechanical resonators from graphene sheets," J. Scott Bunch, Arend M. van der Zande, Scott S. Verbridge, Ian W. Frank, David M. Tanenbaum, Jeevak M. Parpia, Harold G. Craighead, and Paul L. McEuen, *Science* 315, 490 (2007).
- [22] "A tunable carbon nanotube electromechanical oscillator," Vera Sazonova, Yuval Yaish, Hande Ustunel, David Roundy, Tomas A. Arias, and Paul L. McEuen, *Nature* 431, 284 (2004).
- [23] "Nano-mechanical oscillations in a single-C-60 transistor," Hongkun Park, Jiwoong Park, Andrew K.L. Lim, Erik H. Anderson, A. Paul Alivisatos, and Paul L. McEuen, *Nature* 407, 57 (2000).
- [24] Sub-kelvin optical cooling of a micromechanical resonator, Dustin Kleckner, Dirk Bouwmeester, *Nature* 444, 75-78 (2 November 2006).
- [25] C. Höhberger Metzger and K. Karrai, Cavity cooling of a microlever, *NATURE* 432 1002 (2004).
- [26] A picogram- and nanometre-scale photonic-crystal optomechanical cavity, Matt Eichenfield, Ryan Camacho, Jasper Chan, Kerry J. Vahala, Oskar Painter, *Nature* 459, 550-555 (28 May 2009).
- [27] Strong dispersive coupling of a high-finesse cavity to a micromechanical membrane, J. D. Thompson, B. M. Zwickl, A. M. Jayich, Florian Marquardt, S. M. Girvin, and J. G. E. Harris, *Nature* 452, 06715 (2008).
- [28] Observation of strong coupling between a micromechanical resonator and an optical cavity field, S. Gröblacher, K. Hammerer, M. R. Vanner, M. Aspelmeyer, *Nature* 460, 724-727 (2009).
- [29] Q. P. Unterreithmeier, E. M. Weig, J. P. Kotthaus, Universal transduction scheme for nanomechanical systems based on dielectric forces, *Nature* 458, 1001 (2009).
- [30] D. R. Koenig, E. M. Weig, and J. P. Kotthaus, Ultrasonically driven nanomechanical single-electron shuttle, *Nature Nanotechnology* 3, 482 (2008).
- [31] G. Anetsberger, O. Arcizet, Q. P. Unterreithmeier, R. Riviere, Near-field cavity optomechanics with nanomechanical oscillators, *Nature Physics* (2009).
- [32] O. Arcizet, P.F. Cohadon, T. Briant, M. Pinard, A. Heidmann, Radiation-pressure cooling and optomechanical instability of a micromirror, *Nature* 444, 71-74 (2 November 2006).

- [33] Displacement detection of silicon nanowires by polarization-enhanced fiber-optic interferometry, John M. Nichol, Eric R. Hemesath, Lincoln J. Lauhon, and Raffi Budakian, *APPLIED PHYSICS LETTERS* 93, 193110 2008.